

Domestic Hot Water (DHW) Tank Sensor, 10k

Submittal Information
Revision B: Aug. 25, 2010

Project Information

Job Name:

Location:

Part No. Ordered:

Engineer:

Date Submitted:

Contractor:

Submitted By:

Manufacturer's Representative:

Approved By:

Technical Data

Control:	Measures domestic hot water temperature
Sensor Type:	10k J-curve
Tolerance:	+/- 0.54°F (+/- 0.3°C)
Ambient Conditions:	32°F to 105°F (0° to 41°C) 10% to 90% humidity non-condensing
Connections:	RJ45 Cat5 connections



Product Information and Application Use

The Climate Cöontrol™ Network System uses a variety of sensors to provide feedback and information to the main controls. This sensor measures the domestic hot water (DHW) temperature readings needed for various system control functions.

✓	Description	Part Number	Lead Length	Sensor Length	Sensor Width	Weight
<input type="checkbox"/>	Domestic Hot Water Tank Sensor, 10k	A9012002	6'	1.1"	0.38"	0.25 lbs.

Installation

Connect using RJ45 Cat5 cables. Refer to the Uponor Climate Cöontrol Network System Manual for additional information.

Standards

Class II wiring

Codes

N/A

Listings

N/A

Related Applications

Radiant Heating and Cooling Systems
Snow and Ice Melting Systems
Permafrost Protection Systems
Turf Conditioning Systems

Contact Information

Uponor, Inc.
5925 148th Street West
Apple Valley, MN 55124 USA
Phone: (800) 321-4739
Fax: (952) 891-2008
www.uponor-usa.com

Uponor Ltd.
2000 Argentia Road, Plaza 1, Suite 200
Mississauga, ON L5N 1W1 CANADA
Phone: (888) 994-7726
Fax: (800) 638-9517
www.uponor.ca